Technical Information

TI/EVK 1041 e September 2010

Page 1 of 2

Plastic Additives



® = registered Trademark of BASF SE

Irganox® 1035

Antioxidant and heat stabilizer for wire and cable applications

Characterization

Irganox 1035 is a sulfur containing primary (phenolic) antioxidant and heat stabilizer used for the process stabilization of polyethylene wire and cable resins.

Chemical name

Thiodiethylene bis[3-(3,5-di-tert.-butyl-4-hydroxy-phenyl)propionate]

CAS number

41484-35-9

Chemical formula

Molecular weight

643 g/mol

Applications

Irganox 1035 is used in polyolefins, namely polyethylene, polypropylene, polybutene as well as in other polymers such as styrene homo- and copolymers.

It may also be used in linear polyesters, PVC, polyamides and polyurethanes, elastomers such as SBS, EPR, EPDM and other synthetic rubbers, adhesives, natural and synthetic tackifier resins and other organic substrates. Additionally it is recommended for the use in carbon black containing wire and cable resins.

Features/benefits

The world's most widely used antioxidant for PE and XLPE wire and cable resins, Irganox 1035, provides efficient processing stabilization and longterm thermal stability with excellent system compatibility and low color. The high quality of Irganox 1035 eliminates the concern over microcontaminants that can affect the insulation properties of the wire. Irganox 1035 offers excellent heat stability and is very unlikely to exude.

Product forms

Irganox 1035

white to off-white crystalline powder Irganox 1035 FF (W&C) white to off-white crystalline granules

Guidelines for use

In XLPE or carbon black containing polymers, Irganox 1035 offers optimum performance when used in combination with the thiosynergist Irganox PS 800.

Recommended use levels:

Irganox 1035 0.2 % - 0.3 % Irganox PS 800 0.2 % - 0.3 %

Physical properties

Melting range	63-78 °C
Flashpoint	140 °C
Vapor pressure (20 °C)	1.3 E-9 Pa
Specific gravity (20 °C)	1.00 g/ml

Bulk density

Powder 530-630 g/l FF 480-570 g/l

Solubility (20 °C)	g/100 g solution
Acetone	56
Benzene	56
Chloroform	35
Cyclohexane	56
Ethyl acetate	45
n-Hexane	5
Methanol	5
Water	< 0.01

Health & Safety

Irganox 1035 exhibits a very low order of oral toxicity and does not present any abnormal problems in its handling or general use.

Detailed information on handling and any precautions to be observed in the use of the product(s) described in this leaflet can be found in our relevant health and safety information sheet.

Note

The descriptions, designs, data and information contained herein are presented in good faith, and are based on BASF's current knowledge and experience. They are provided for guidance only, and do not constitute the agreed contractual quality of the product or a part of BASF's terms and conditions of sale. Because many factors may affect processing or application/use of the product, BASF recommends that the reader carry out its own investigations and tests to determine the suitability of a product for its particular purpose prior to use. It is the responsibility of the recipient of product to ensure that any proprietary rights and existing laws and legislation are observed. No warranties of any kind, either expressed or implied, including, but not limited to, warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth herein, or that the products, descriptions, designs, data or information may be used without infringing the intellectual property rights of others. Any descriptions, designs, data and information given in this publication may change without prior information. The descriptions, designs, data and information furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for the descriptions, designs, data or information given or results obtained, all such being given and accepted at the reader's risk.

September 2010